

# NEA MONI



**TYPE:** Motor Yacht  
**BUILDER:** Cayman  
**MODEL:** Cayman 75 HT  
**ENGINES:** 2 x CAT C 32 V12  
1650 Hp 2300 rpm  
**CONSTRUCTION:** Fibreglass and epoxy  
composite  
**LOA:** 24.0m / 78.7ft  
**BEAM:** 5.6m / 18.5ft

**DRAFT:** 1.9m / 6.2ft  
**BUILT:** 2010  
**SPEED:** 29 Knots (Max)  
22 Knots (Cruising)  
**GUESTS:** 7 Guests in 3 Cabins  
**CREW:** 2 Crew in 1 Cabin  
**LYING:** Hyeres, France  
**PRICE:** 950,000 EUR VAT Paid

# NEA MONI

## INTRODUCTION

The appeal of an original creation in the strictest tradition of unmistakable Cayman style. A fascinating "predator", designed for sailing in absolute comfort and to stick out from the crowd. A lounge area worthy of a "villa", an impressive "Schiffini" galley kitchen, a full air conditioning system and an electrically operated hydraulic sliding roof. A sophisticated bridge area, three separate cabins (two double cabins and one twin-bed cabin), each with its own large bathroom. Doors and walls panelled in solid bleached oak and edged in wengè and sought after fabrics lining the ceiling, which is outlined by concealed lighting that evokes a feeling of enveloping intimacy. Indoors there is a living area in the prow section, fitted with a sofa, sunbed and fold-away table, creating a veritable day area that is protected by an electrically operated hydraulic sunscreen. Large deck area equipped with a large table, a large sofa and a number of deck chairs. From the deck area it is possible to enter the double crew cabin with private bathroom.

Via a watertight door, there is a staircase leading either down to the engine room, or up to the roof of the boat where a second fly bridge is located. Two symmetrical staircases are located at the stern, one covering the walkway and the electrical cables for jetty connections, while the other covers a change room and shower facility and the watertight door leading to the engine room. The vessel also has a stern platform and a garage housing a 3.40m tender. The vessel is powered by two 1675HP CAT engines and is also equipped with two 17KW power generator units, 5500-litre fuel tanks and 1200-litre water tanks (the vessel is fitted with a desalination plant with an operating capacity of 120lt/hr). The Cayman 75 HT is a true predator when it comes to devouring nautical miles, a safe and reliable vessel, made totally enchanting by its elegant design and its luxury and comfort, beautiful as a dream and strong as the passion that led to its creation: as always, 38 years of top class nautical expertise have left their mark.

The vessel was designed by the shipyard's technical department.

## GENERAL CHARACTERISTICS

LOA	24,00 m
Hull Length	23,05m
LWL	19,10 m
Beam	5,64 m
Height at Min Displacement:	5,20 m
Draft:	1,90 m
GRT:	57.56 Ton
Engines:	2 x CAT C 32 V12 1650 Hp 2300 rpm
Engine Hours (Aug 17)	1,065 hours
Gen Hours (Aug 17)	1,960 hours

## CAPACITIES

Fuel Capacity:	6.400 litres
Fresh Water Capacity:	1.200 litres
Grey Water Capacity:	300 litres
Black Water Capacity:	300 litres

## ACCOMMODATION

- 1x Master cabin with double berth
- 1x VIP cabin with double berth
- 1x Twin cabin with 2x single berth

# NEA MONI

## EQUIPMENT LIST

STEEL PANEL AND HINGES  
ANCHOR  
5x ANODES  
AIR CONDITIONING  
4x AXES  
2x AUTOCLAVE  
4x BATTERIES (MOTOR START)  
12x BATTERIES (SERVICES)  
1x BOILER 50I  
1x BOILER 75I  
2x BOW THRUSTER MAX POWER  
1x BATTERY CHARGER (GENS)  
1x BATTERY CHARGER (SERVICES)  
1x WATERMAKER 200I  
SECURITY EQUIPMENT

2x EL/ECO PUMP

2x ENGINE ROOM FANS  
1 x SEWAGE PUMP  
4x BOW THRUSTER PROPELLER  
2x PROPELLER SH13  
2x DIESEL GENERATOR FILTER  
4x DIESEL ENGINE FILER  
2x MARINE FILTER 751000MA  
2x GENERATORS 17.5 12v MDKBR  
LIGHTING

INTERIOR EXHAUST SYSTEM  
ELECTRIC CIRCUIT  
FLAP SYSTEM  
3x REFRIGERATORS  
2x SINE WAVE INVERTER 24/1500  
2x DRIVE INVERTER 2060V  
CHAIN WASHER  
4x SINKS  
CAPSTAN ENGINE T1000W 24V  
2x ENGINES V12 1675HP 2300RPM  
11x PORTHOLES  
PASSERELLE 1003/41 24V BOX 450  
4x BILGE PUMP (IMMERSE) 2000  
MANUAL BILGE PUMP EXCELSIOR 4  
2x FRESH WATER PUMP  
2x ELECTRIC SIDE DOORS  
GARAGE DOOR  
4x THRU-HULL SEALS  
2x WINDSCREEN WIPERS  
3x WINCHES AND TONNAGE  
4x TOILET & BIDET  
TENDER

## MODEL/PROVIDER

ART-INOX SRL  
DELTA INOX 50KG + CHAIN Ø14 OSCULATI & C. S.P.A.  
FORNITURE NAUTICHE ITALIANE SR  
CONDARIA PCWM 15002 60000 btu  
V 174; Ø = 90 mm, L = 4100 mm ITALIAN PROPELLERS  
GIANNESCHI & RAMACCIOTTI SRL  
12/225 A.G.M.  
RT8EPZS100 A.G.M.  
ISOTEMP  
ISOTEMP  
ct 325 SAIM SPA  
MASTERVOLT 25-3  
MASTERVOLT 24-100  
DESSALATOR  
FORNITURE NAUTICHE ITALIANE SR  
OSCOLATI & C. S.P.A.  
MV44 E 24V.CC 0.33KW - GIANNESCHI & RAMACCIOTTI  
SRL  
GIANNESCHI & RAMACCIOTTI SRL  
15V. 24 C.C - F.E.I.T. POMPE SRL  
SAIM SPA  
4 BLADES NIBRAL - ITALIAN PROPELLERS  
2000/5 - RACOR  
2x 751000 MA - RACOR  
IN. CO. FIN. SRL  
KOHLER  
BCM  
CANTALUPI LIGHTING SRL  
REMA SLR  
L.P.L.SNC DI GALLI P.& L.  
VETUS ITALIA SRL  
FRIGOMAR  
MASTERVOLT  
ZF (RATIO 2,5:1)  
GIANNESCHI & RAMACCIOTTI SRL  
ANTONIO LUPI  
LOFRANS' WINDLASSES SRL  
CATERPILLAR  
ALLUFER TEMPESTA  
BESENZONI  
RULE  
RULE  
ECOINOX GIANNESCHI & RAMACCIOTTI SRL  
BESENZONI  
BESENZONI  
ITALIAN PROPELLERS  
GALLINEA  
LOFRANS' WINDLASSES SRL  
TECMA SRL  
Surmarine EASY 290 + SUZUKI 15 HP

# NEA MONI

## GENERAL ARRANGEMENT

